ELSEVIER

Journal of Organometallic Chemistry 533 (1997) 271

Journal of Organometallic Chemistry

Author Index of Volume 533

Adams, H., 117
Akhmedov, V.M., 103
Almansour, A.I., 57
Antiñolo, A., 87

Baldoli, C., 213
Bates, C.M., 193, 197
Beam, C.F., 125
Beck, W., 247
Bergs, R., 247
Berthet, J.C., 7
Boisson, C., 7
Britovsek, G.J.P., 201
Brunet, J.-J., 79
Büchner, M., 167

Capperucci, A., 79
Cavell, K.J., 201
Chauvin, R., 79
Chen, J., 13
Chen, Z., 25
Childerhouse, N.D., 143
Church, A.C., 125
Corey, J.Y., 61

Davis, S.E., 125
Dean, P.A.W., 1
Depree, G.J., 143
Dixit, V., 261
Dixneuf, P.H., 213
Donnadieu, B., 79
Dutto, G., 97

Enders, D., 219
Ephritikhine, M., 7

Fajardo, M., 87
Fujita, K.-i., 161

Gay, I.D., 1
Gerhards, F., 201
Gervasio, G., 187
Gil-Sanz, R., 87
Gill, L.J., 117
Goh, L.Y., 1
Gómez-Sal, P., 87
Green, M.J., 201
Guennou, K., 177
Gupta, B.D., 261

Hassler, K., 51
Herberhold, M., 109
Herranz, M.J., 87
Herrschaft, B., 73
Herzog, U., 73
Hosmane, N.S., 257
Huhmann, J.L., 61
Huttner, G., 167

Imhof, W., 31
Inubushi, Y., 83
Ito, K., 161

Jandeleit, B., 219
Jaouen, G., 97
Jutzi, P., 237

Kano, A., 153
Kayran, C., 103
Klintschar, G., 51
Kollegger, G.M., 51
Kondo, T., 161

Lance, M., 7
Lang, H., 167
Leise, M., 167
López-Mardomingo, C., 87
Luo, L., 25

Maiorana, S., 213
Mao, S.S.H., 257
Markó, L., 187
Martín, A., 87
Mathey, F., 83
McGlinchey, M.J., 97
Michalik, M., 265
Milius, W., 109
Mitsudo, T.-a., 161
Morley, C.P., 193, 197
Morris, M.J., 117
Muir, K.W., 177

Nervi, C., 97
Neumann, B., 237
Nicholson, B.K., 143
Nierlich, M., 7
Nolan, S.P., 25
Nomiya, K., 153
Nozaki, C., 153

Oehme, H., 265
Ohsawa, K., 153
Osella, D., 97
Otero, A., 87
Özkar, S., 103

Péron, D., 213
Petersen, J.L., 25
Pétillon, F.Y., 177
Pfister, B., 131
Pichon, R., 177

Rath, N.P., 61
Redeker, T., 237
Rheingold, A.L., 257
Ricard, L., 83
Robl, C., 247
Roewer, G., 73
Ruiz, N., 213
Rumin, R., 177

Salzer, A., 131
Scott, A.S., 125
Sharma, R.D., 1
Siegl, H., 51
Sinbandith, S., 213
Skelton, B.W., 201
Stammler, H.-G., 237
Stauber, R., 131
Steffl, U., 109
Sternberg, K., 265
Studer-Martinez, S.L., 125
Sun, J., 13
Sünkel, K., 247
Szalontai, G., 187

Taguchi, T., 153
Throckmorton, H.L., 125
Tilley, T.D., 257
Tran Huy, N.H., 83
Trudell, M.L., 25

Vastag, S., 187
Vessières, A., 97
Von Berg, S., 219

White, A.H., 201
Winter, M., 167
Wrackmeyer, B., 109

Yu, Y., 13
Yufit, D.S., 177

Zachara, J., 45
Ziemer, B., 73
Zimniak, A., 45
Zsolnai, L., 167

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 533 (1997) 273–278

Journal of Organometallic Chemistry

Subject Index of Volume 533

C-Acylation/cyclodehydration
The preparation of (5-aryl-3-isoxazolyl)-ferrocenes from dilithiated acetylferrocene oxime and aromatic esters (S.E. Davis, A.C. Church, A.S. Scott, H.L. Throckmorton, S.L. Studer-Martinez and C.F. Beam), 125

Alkyl
Synthesis, structure, and chemistry of hydrido and alkyl niobocene ketene and ketenimine derivatives. X-ray crystal structure of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(CH_3)(\eta^2\text{-}(C,O)O{=}C{=}CPh_2)]$ (A. Antiñolo, A. Otero, M. Fajardo, R. Gil-Sanz, M.J. Herranz, C. López-Mardomingo, A. Martín and P. Gómez-Sal), 87

Alkylidyne
Oxo ligands as assembling units in mixed-metal cluster chemistry: synthesis and X-ray structure of the bow-tie cluster $[Mo_2Ru_3(\mu_3\text{-}O)_2(\mu_3\text{-}CPh)(\mu\text{-}C_3Ph_3)(CO)_8(\eta\text{-}C_5H_5)_2]$ (H. Adams, L.J. Gill and M.J. Morris), 117

Alkyne
Oxo ligands as assembling units in mixed-metal cluster chemistry: synthesis and X-ray structure of the bow-tie cluster $[Mo_2Ru_3(\mu_3\text{-}O)_2(\mu_3\text{-}CPh)(\mu\text{-}C_3Ph_3)(CO)_8(\eta\text{-}C_5H_5)_2]$ (H. Adams, L.J. Gill and M.J. Morris), 117

Alkynes
Reaktionsverhalten metallkoordinierter 1-Molybda-2-Phospha-1,3-Diene gegenüber Alkinen und Diinen (H. Lang, M. Winter, M. Leise, L. Zsolnai, M. Büchner und G. Huttner), 167

Amine
Reaction of a π-vinylcarbeneiron complex with aromatic diamines: formation and structure of ferracyclopentenone(diamine) complexes (K.-i. Fujita, K. Ito, T. Kondo and T.-a. Mitsudo), 161

Arsenic
Tridecamethyl-1-phospha- and tridecamethyl-1-arsa-2,3,4,5,6,7,8-heptasilabicyclo[2.2.2]octane (K. Hassler, G.M. Kollegger, H. Siegl and G. Klintschar), 51

Asymmetric induction
Optically active transition-metal complexes VII. Iron and ruthenium complexes with the optically active cyclopentadienyl ligand PCp: syntheses and ligand exchange reactions (B. Pfister, R. Stauber and A. Salzer), 131

Aza-aminoacids
Metallkomplexe mit biologisch wichtigen Liganden, XCIII. Metallorganische Verbindungen von Cobalt(III), Rhodium(III), Iridium (III), Palladium(II) und Platin(II) mit Aza-Aminosäurederivaten (Methylcarbazat, Semicarbazid, 2-Amino-3-dimethylaminopropansäure) (R. Bergs, K. Sünkel, C. Robl und W. Beck), 247

7-Azabicyclo[2.2.1]heptadienes
Regioselective synthesis of η^3-(*N*-methoxycarbonyl-7-azabicyclo-[2.2.1]hepta-2,5-dienyl)-η^5-$(C_5Me_5)RuCl$ complexes (Z. Chen, L. Luo, S.P. Nolan, J.L. Petersen and M.L. Trudell), 25

Azines
Structural studies of bis(μ_2-acetophenoniminato)-bis(tricarbonyliron) by NMR and X-ray diffraction: deviations from symmetry in *anti* and *syn* isomers (A. Zimniak and J. Zachara), 45

Benzophenone
The reaction of electrophilic terminal phosphinidene complexes with benzophenone and fluorenone: the unexpected formation of six- and eight-membered heterocycles (Y. Inubushi, N.H. Tran Huy, L. Ricard and F. Mathey), 83

Bioorganometallic chemistry
Ferrole–estradiol complex as a test for receptor dimerization (D. Osella, G. Dutto, C. Nervi, M.J. McGlinchey, A. Vessières and G. Jaouen), 97

Bis(μ_2-acetophenoniminato)-bis(tricarbonyliron)
Structural studies of bis(μ_2-acetophenoniminato)-bis(tricarbonyliron) by NMR and X-ray diffraction: deviations from symmetry in *anti* and *syn* isomers (A. Zimniak and J. Zachara), 45

Bis(tricarbonyl iron)
Structural studies of bis(μ_2-acetophenoniminato)-bis(tricarbonyliron) by NMR and X-ray diffraction: deviations from symmetry in *anti* and *syn* isomers (A. Zimniak and J. Zachara), 45

Boron
Zirconium bent sandwich complex with a dicarbahexaborate ligand: $[Li(THF)_3][\eta^5\text{-}C_2B_4H_4(SiMe_3)_2]\{\eta^5\text{-}C_5Me_5\}ZrCl_2]$ (S.S.H. Mao, T.D. Tilley, A.L. Rheingold and N.S. Hosmane), 257

C(α),O-dilithiated oxime of acetylferrocene
The preparation of (5-aryl-3-isoxazolyl)-ferrocenes from dilithiated acetylferrocene oxime and aromatic esters (S.E. Davis, A.C. Church, A.S. Scott, H.L. Throckmorton, S.L. Studer-Martinez and C.F. Beam), 125

Carbene
Carbon–fluorine bond activation by iron(I). C–F bond cleavage induced by addition of phosphines or thiols to a perfluorovinyldiiron complex (R. Rumin, K. Guennou, R. Pichon, F.Y. Pétillon, K.W. Muir and D.S. Yufit), 177
Reaction of a π-vinylcarbeneiron complex with aromatic diamines: formation and structure of ferracyclopentenone(diamine) complexes (K.-i. Fujita, K. Ito, T. Kondo and T.-a. Mitsudo), 161

Carbenes
Bimetallic Cr, Ru alkenyl carbene derivatives: synthesis from organometallic prop-2-yn-1-ols and stereochemical aspects (N. Ruiz, D. Péron, S. Sinbandith, P.H. Dixneuf, C. Baldoli and S. Maiorana), 213

Carbon-13
Selenium-77 NMR studies of cyclopentadienylchromium selenium species. Evidence of conformers (P.A.W. Dean, L.Y. Goh, I.D. Gay and R.D. Sharma), 1

Carbon monoxide
Cationic methyl–palladium(II) complexes containing bidentate N^O and P^O ligands and a tridentate P^O^N ligand: synthesis, carbonylation and catalytic applications in the copolymerisation of carbon monoxide and ethene (G.J.P. Britovsek, K.J. Cavell, M.J. Green, F. Gerhards, B.W. Skelton and A.H. White), 201

Elsevier Science S.A.

Reaktionsverhalten metallkoordinierter 1-Molybda-2-Phospha-1,3-Diene gegenüber Alkinen und Diinen (H. Lang, M. Winter, M. Leise, L. Zsolnai, M. Büchner und G. Huttner), 167

Carbonyl

Carbon–fluorine bond activation by iron(I). C–F bond cleavage induced by addition of phosphines or thiols to a perfluorovinyldiiron complex (R. Rumin, K. Guennou, R. Pichon, F.Y. Pétillon, K.W. Muir and D.S. Yufit), 177

Pentamethylcyclopentadienylselenium derivatives IV. Synthesis and characterisation of methyl(pentamethylcyclopentadienyl)selenium and its pentacarbonyltungsten complex $[W(CO)_5\{Se(C_5Me_5)Me\}]$ (C.M. Bates and C.P. Morley), 197

Photocatalytic hydrosilylation of conjugated dienes with triethylsilane in the presence of $Cr(CO)_5L$ (L = CO, $P(CH_3)_3$, $P(OCH_3)_3$) (S. Özkar, V.M. Akhmedov and C. Kayran), 103

Reaction of a π-vinylcarbeneiron complex with aromatic diamines: formation and structure of ferracyclopentenone(diamine) complexes (K.-i. Fujita, K. Ito, T. Kondo and T.-a. Mitsudo), 161

Carbonylation

Reaction of a π-vinylcarbeneiron complex with aromatic diamines: formation and structure of ferracyclopentenone(diamine) complexes (K.-i. Fujita, K. Ito, T. Kondo and T.-a. Mitsudo), 161

Carboranes

Zirconium bent sandwich complex with a dicarbahexaborate ligand: $[Li(THF)_3][\{\eta^5\text{-}C_2B_4H_4(SiMe_3)_2\}\{\eta^5\text{-}C_5Me_5\}ZrCl_2]$ (S.S.H. Mao, T.D. Tilley, A.L. Rheingold and N.S. Hosmane), 257

Cation

Synthesis and crystal structure of $[U(\eta\text{-}C_5Me_5)_2(OC_4H_8)_2][BPh_4]$, the first cationic cyclopentadienyl compound of uranium(III) (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 7

C–F activation

Carbon–fluorine bond activation by iron(I). C–F bond cleavage induced by addition of phosphines or thiols to a perfluorovinyldiiron complex (R. Rumin, K. Guennou, R. Pichon, F.Y. Pétillon, K.W. Muir and D.S. Yufit), 177

Chalcogenide

Cyclomanganated derivatives of triphenylphosphine chalcogenides (G.J. Depree, N.D. Childerhouse and B.K. Nicholson), 143

C,H bond activation

C,H bond activation of imino substituted heterocycles: synthesis and crystal structure of $[\mu_2\text{-}\eta^3\text{-}(R)N{-}CH_2{-}\underline{\underline{C}}{=}C{-}\underline{C(H){=}C(H)}{-}\underline{X}]\text{-}Fe_2(CO)_6$ and the isomeric clusters $[\mu_2\text{-}\eta^3\text{-}(R)N{-}CH_2{-}\underline{\underline{C}}{=}C{-}\underline{X}{-}\underline{C(R'){=}C(R'')}]Fe_2(CO)_6$ (W. Imhof), 31

Chelating ligands

Cationic methyl–palladium(II) complexes containing bidentate N^O and P^O ligands and a tridentate P^O^N ligand: synthesis, carbonylation and catalytic applications in the copolymerisation of carbon monoxide and ethene (G.J.P. Britovsek, K.J. Cavell, M.J. Green, F. Gerhards, B.W. Skelton and A.H. White), 201

Chirality transfer

"Chirality transfer" in iron-mediated dienylic substitutions via highly enantiomerically enriched planar chiral 1-phenylsulfonyl-substituted tricarbonyl(η^5-pentadienyl)iron(1+) complexes (D. Enders, B. Jandeleit and S. Von Berg), 219

Chromium

Bimetallic Cr, Ru alkenyl carbene derivatives: synthesis from organometallic prop-2-yn-1-ols and stereochemical aspects (N. Ruiz, D. Péron, S. Sinbandith, P.H. Dixneuf, C. Baldoli and S. Maiorana), 213

Photocatalytic hydrosilylation of conjugated dienes with triethylsilane in the presence of $Cr(CO)_5L$ (L = CO, $P(CH_3)_3$, $P(OCH_3)_3$) (S. Özkar, V.M. Akhmedov and C. Kayran), 103

Selenium-77 NMR studies of cyclopentadienylchromium selenium species. Evidence of conformers (P.A.W. Dean, L.Y. Goh, I.D. Gay and R.D. Sharma), 1

Clusters

Oxo ligands as assembling units in mixed-metal cluster chemistry: synthesis and X-ray structure of the bow-tie cluster $[Mo_2Ru_3(\mu_3\text{-}O)_2(\mu_3\text{-}CPh)(\mu\text{-}C_3Ph_3)(CO)_8(\eta\text{-}C_5H_5)_2]$ (H. Adams, L.J. Gill and M.J. Morris), 117

Cobalt carbonyl

Synthesis and structure of a dinuclear cobalt carbonyl derivative containing methyldithioformate as a five-electron donor ligand (G. Gervasio, S. Vastag, G. Szalontai and L. Markó), 187

Cobalt(III)

Metallkomplexe mit biologisch wichtigen Liganden, XCIII. Metallorganische Verbindungen von Cobalt(III), Rhodium(III), Iridium (III), Palladium(II) und Platin(II) mit Aza-Aminosäurederivaten (Methylcarbazat, Semicarbazid, 2-Amino-3-dimethylaminopropansäure) (R. Bergs, K. Sünkel, C. Robl und W. Beck), 247

Conformers

Selenium-77 NMR studies of cyclopentadienylchromium selenium species. Evidence of conformers (P.A.W. Dean, L.Y. Goh, I.D. Gay and R.D. Sharma), 1

Copolymerisation

Cationic methyl–palladium(II) complexes containing bidentate N^O and P^O ligands and a tridentate P^O^N ligand: synthesis, carbonylation and catalytic applications in the copolymerisation of carbon monoxide and ethene (G.J.P. Britovsek, K.J. Cavell, M.J. Green, F. Gerhards, B.W. Skelton and A.H. White), 201

Crystal structure

Cyclomanganated derivatives of triphenylphosphine chalcogenides (G.J. Depree, N.D. Childerhouse and B.K. Nicholson), 143

Oxo ligands as assembling units in mixed-metal cluster chemistry: synthesis and X-ray structure of the bow-tie cluster $[Mo_2Ru_3(\mu_3\text{-}O)_2(\mu_3\text{-}CPh)(\mu\text{-}C_3Ph_3)(CO)_8(\eta\text{-}C_5H_5)_2]$ (H. Adams, L.J. Gill and M.J. Morris), 117

Structural studies of bis(μ_2-acetophenoniminato)-bis(tricarbonyliron) by NMR and X-ray diffraction: deviations from symmetry in *anti* and *syn* isomers (A. Zimniak and J. Zachara), 45

Unexpected reactions of (cyclooctatetraene)diiron hexacarbonyl with aryllithium reagents: crystal structures of $[(CO)_3Fe(1\text{-}4\text{-}\eta\text{:}5\text{-}7\text{-}\eta\text{-}C_8H_9)(CO)_2Fe(COC_6H_5)]$ and $[(CO)_3Fe(1\text{-}4\text{-}\eta\text{:}5\text{-}8\text{-}\eta\text{-}C_8H_8)\text{-}(CO)_2FeC(OC_2H_5)C_6H_5]$ (Y. Yu, J. Sun and J. Chen), 13

Cyclometallation

Cyclomanganated derivatives of triphenylphosphine chalcogenides (G.J. Depree, N.D. Childerhouse and B.K. Nicholson), 143

Cyclopentadienyl

Optically active transition-metal complexes VII. Iron and ruthenium complexes with the optically active cyclopentadienyl ligand PCp: syntheses and ligand exchange reactions (B. Pfister, R. Stauber and A. Salzer), 131

Pentamethylcyclopentadienylselenium derivatives IV. Synthesis and characterisation of methyl(pentamethylcyclopentadienyl)selenium and its pentacarbonyltungsten complex $[W(CO)_5\{Se(C_5Me_5)Me\}]$ (C.M. Bates and C.P. Morley), 197

Pentamethylcyclopentadienylselenium derivatives III. Synthesis and ^{77}Se NMR spectroscopy of bis(pentamethylcyclopentadienyl) polyselenides, $Se_n(C_5Me_5)_2$ ($n = 2, 3, 4$) (C.M. Bates and C.P. Morley), 193

Selenium-77 NMR studies of cyclopentadienylchromium selenium species. Evidence of conformers (P.A.W. Dean, L.Y. Goh, I.D. Gay and R.D. Sharma), 1

Synthesis and crystal structure of $[U(\eta\text{-}C_5Me_5)_2(OC_4H_8)_2][BPh_4]$, the first cationic cyclopentadienyl compound of uranium(III) (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 7

(Diisopropylaminoethyl)cyclopentadienyl ligand
Halbsandwich-Komplexe der Elemente Titan und Zirconium mit dem (Diisopropylaminoethyl)cyclopentadienyl-Ligand: Molekülstruktur von $[(C_5H_4CH_2CH_2N(H)^iPr_2)ZrCl_3]^+ Cl^- \cdot 2CH_3OH$ (P. Jutzi, T. Redeker, B. Neumann und H.-G. Stammler), 237

Cyclopentadienyls
Zirconium bent sandwich complex with a dicarbahexaborate ligand: $[Li(THF)_3][\{\eta^5\text{-}C_2B_4H_4(SiMe_3)_2\}(\eta^5\text{-}C_5Me_5)ZrCl_2]$ (S.S.H. Mao, T.D. Tilley, A.L. Rheingold and N.S. Hosmane), 257

Dehydrocoupling
Catalytic dehydrocoupling of $PhSiH_3$ with bimetallic Ti and Zr complexes (J.L. Huhmann, J.Y. Corey and N.P. Rath), 61

1.4-Diazadienes
1.4-Addition of 1.1.2.2-tetrachlorodimethyldisilane to 1.4-diaza-1.3-dienes, synthesis and molecular structure of 1.6-disila-2.5-diaza-1.1.6.6-tetrachloro-1.6-dimethyl-2.5-di-*p*-tolyl-3.4-diphenyl-hexa-3-ene (U. Herzog, G. Roewer, B. Ziemer and B. Herrschaft), 73

Diene
Photocatalytic hydrosilylation of conjugated dienes with triethylsilane in the presence of $Cr(CO)_5L$ (L = CO, $P(CH_3)_3$, $P(OCH_3)_3$) (S. Özkar, V.M. Akhmedov and C. Kayran), 103

Dienylic substitution
"Chirality transfer" in iron-mediated dienylic substitutions via highly enantiomerically enriched planar chiral 1-phenylsulfonyl-substituted tricarbonyl(η^5-pentadienyl)iron(1 +) complexes (D. Enders, B. Jandeleit and S. Von Berg), 219

(Cyclooctatetraene)diiron hexacarbonyl
Unexpected reactions of (cyclooctatetraene)diiron hexacarbonyl with aryllithium reagents: crystal structures of $[(CO)_3Fe(1\text{-}4\text{-}\eta\text{:}5\text{-}7\text{-}\eta\text{-}C_8H_9)(CO)_2Fe(COC_6H_5)]$ and $[(CO)_3Fe(1\text{-}4\text{-}\eta\text{:}5\text{-}8\text{-}\eta\text{-}C_8H_8)\text{-}(CO)_2FeC(OC_2H_5)C_6H_5]$ (Y. Yu, J. Sun and J. Chen), 13

Disilanes
1.4-Addition of 1.1.2.2-tetrachlorodimethyldisilane to 1.4-diaza-1.3-dienes, synthesis and molecular structure of 1.6-disila-2.5-diaza-1.1.6.6-tetrachloro-1.6-dimethyl-2.5-di-*p*-tolyl-3.4-diphenyl-hexa-3-ene (U. Herzog, G. Roewer, B. Ziemer and B. Herrschaft), 73

Dithioformate
Synthesis and structure of a dinuclear cobalt carbonyl derivative containing methyldithioformate as a five-electron donor ligand (G. Gervasio, S. Vastag, G. Szalontai and L. Markó), 187

Diynes
Reaktionsverhalten metallkoordinierter 1-Molybda-2-Phospha-1,3-Diene gegenüber Alkinen und Diinen (H. Lang, M. Winter, M. Leise, L. Zsolnai, M. Büchner und G. Huttner), 167

Estradiol receptor
Ferrole–estradiol complex as a test for receptor dimerization (D. Osella, G. Dutto, C. Nervi, M.J. McGlinchey, A. Vessières and G. Jaouen), 97

Ethylene
Cationic methyl–palladium(II) complexes containing bidentate N^O and P^O ligands and a tridentate P^O^N ligand: synthesis, carbonylation and catalytic applications in the copolymerisation of carbon monoxide and ethene (G.J.P. Britovsek, K.J. Cavell, M.J. Green, F. Gerhards, B.W. Skelton and A.H. White), 201

(5-Aryl-3-isoxazolyl)-ferrocenes
The preparation of (5-aryl-3-isoxazolyl)-ferrocenes from dilithiated acetylferrocene oxime and aromatic esters (S.E. Davis, A.C. Church, A.S. Scott, H.L. Throckmorton, S.L. Studer-Martinez and C.F. Beam), 125

Ferrocenophanes
A synthetic, structural and NMR spectroscopic study on 1,3-distanna-2-chalcogena-[3]ferrocenophanes (M. Herberhold, U. Steffl, W. Milius and B. Wrackmeyer), 109

Fluorenone
The reaction of electrophilic terminal phosphinidene complexes with benzophenone and fluorenone: the unexpected formation of six- and eight-membered heterocycles (Y. Inubushi, N.H. Tran Huy, L. Ricard and F. Mathey), 83

Fluorine
Carbon–fluorine bond activation by iron(I). C–F bond cleavage induced by addition of phosphines or thiols to a perfluorovinyldiiron complex (R. Rumin, K. Guennou, R. Pichon, F.Y. Pétillon, K.W. Muir and D.S. Yufit), 177

Half-sandwich
Halbsandwich-Komplexe der Elemente Titan und Zirconium mit dem (Diisopropylaminoethyl)cyclopentadienyl-Ligand: Molekülstruktur von $[(C_5H_4CH_2CH_2N(H)^iPr_2)ZrCl_3]^+ Cl^- \cdot 2CH_3OH$ (P. Jutzi, T. Redeker, B. Neumann und H.-G. Stammler), 237

Hydrido
Synthesis, structure, and chemistry of hydrido and alkyl niobocene ketene and ketenimine derivatives. X-ray crystal structure of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(CH_3)(\eta^2\text{-}(C,O)O{=}C{=}CPh_2)]$ (A. Antiñolo, A. Otero, M. Fajardo, R. Gil-Sanz, M.J. Herranz, C. López-Mardomingo, A. Martín and P. Gómez-Sal), 87

Hydrosilylation
Photocatalytic hydrosilylation of conjugated dienes with triethylsilane in the presence of $Cr(CO)_5L$ (L = CO, $P(CH_3)_3$, $P(OCH_3)_3$) (S. Özkar, V.M. Akhmedov and C. Kayran), 103

Hypersilylcarbenium ions
The acid promoted rearrangement of 1-hydroxyalkyl-tris(trimethylsilyl)silanes into bis(trimethylsilyl)-1-trimethylsilylalkylsilanols: generation of a transient silylium ion (K. Sternberg, M. Michalik and H. Oehme), 265

Imino substituted heterocycles
C,H bond activation of imino substituted heterocycles: synthesis and crystal structure of $[\mu_2\text{-}\eta^3\text{-}(R)N{-}CH_2{-}\overline{C{=}C{-}C(H){=}C(H){-}X}]\text{-}\overline{Fe_2(CO)_6}$ and the isomeric clusters $[\mu_2\text{-}\eta^3\text{-}(R)N{-}\overline{CH_2{-}C{=}C{-}X{-}C(R'){=}C(R'')}]Fe_2(CO)_6$ (W. Imhof), 31

Iridium(III)
Metallkomplexe mit biologisch wichtigen Liganden, XCIII. Metallorganische Verbindungen von Cobalt(III), Rhodium(III), Iridium (III), Palladium(II) und Platin(II) mit Aza-Aminosäurederivaten (Methylcarbazat, Semicarbazid, 2-Amino-3-dimethylaminopropansäure) (R. Bergs, K. Sünkel, C. Robl und W. Beck), 247

Iron
A synthetic, structural and NMR spectroscopic study on 1,3-distanna-2-chalcogena-[3]ferrocenophanes (M. Herberhold, U. Steffl, W. Milius and B. Wrackmeyer), 109

"Chirality transfer" in iron-mediated dienylic substitutions via highly enantiomerically enriched planar chiral 1-phenylsulfonyl-substituted tricarbonyl(η^5-pentadienyl)iron(1 +) complexes (D. Enders, B. Jandeleit and S. Von Berg), 219

Ferrole–estradiol complex as a test for receptor dimerization (D. Osella, G. Dutto, C. Nervi, M.J. McGlinchey, A. Vessières and G. Jaouen), 97

Optically active transition-metal complexes VII. Iron and ruthenium complexes with the optically active cyclopentadienyl ligand PCp: syntheses and ligand exchange reactions (B. Pfister, R. Stauber and A. Salzer), 131

Reaction of a π-vinylcarbeniron complex with aromatic diamines: formation and structure of ferracyclopentenone(diamine) complexes (K.-i. Fujita, K. Ito, T. Kondo and T.-a. Mitsudo), 161

Tandem acylation–complexation of a chlorophosphine by carbonylferrates (J.-J. Brunet, A. Capperucci, R. Chauvin and B. Donnadieu), 79

The preparation of (5-aryl-3-isoxazolyl)-ferrocenes from dilithiated acetylferrocene oxime and aromatic esters (S.E. Davis, A.C. Church, A.S. Scott, H.L. Throckmorton, S.L. Studer-Martinez and C.F. Beam), 125

Iron carbonyl complexes

C,H bond activation of imino substituted heterocycles: synthesis and crystal structure of $[\mu_2\text{-}\eta^3\text{-}(R)N\text{–}CH_2\text{–}\overline{C=C\text{–}C(H)=C(H)\text{–}X}]\text{-}\overline{Fe_2(CO)_6}$ and the isomeric clusters $[\mu_2\text{-}\eta^3\text{-}(R)N\text{–}CH_2\text{–}\overline{C=C\text{–}X\text{–}C(R')=C(R'')}]Fe_2(CO)_6$ (W. Imhof), 31

Iron cluster

Carbon–fluorine bond activation by iron(I). C–F bond cleavage induced by addition of phosphines or thiols to a perfluorovinyldiiron complex (R. Rumin, K. Guennou, R. Pichon, F.Y. Pétillon, K.W. Muir and D.S. Yufit), 177

Iron complexes

Structural studies of bis(μ_2-acetophenoniminato)-bis(tricarbonyliron) by NMR and X-ray diffraction: deviations from symmetry in *anti* and *syn* isomers (A. Zimniak and J. Zachara), 45

Isocyanates

Novel nucleophilic addition to the N=C bond of silicon isocyanates: conversion of some sterically hindered organosilicon isocyanates into aminosilanes (A.I. Almansour), 57

Keggin-type

Syntheses and characterization of the heptasodium salt of the Keggin-type triniobium-substituted polyoxoanion $SiW_9Nb_3O_{40}^{7-}$ and the all-sodium salt of the polyoxoanion-supported organometallic complex $[(\eta^5\text{-}C_5Me_5)Rh \cdot SiW_9Nb_3O_{40}]^{3-}$ (K. Nomiya, C. Nozaki, A. Kano, T. Taguchi and K. Ohsawa), 153

Ketene

Synthesis, structure, and chemistry of hydrido and alkyl niobocene ketene and ketenimine derivatives. X-ray crystal structure of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(CH_3)(\eta^2\text{-}(C,O)O=C=CPh_2)]$ (A. Antiñolo, A. Otero, M. Fajardo, R. Gil-Sanz, M.J. Herranz, C. López-Mardomingo, A. Martín and P. Gómez-Sal), 87

Ketenimine

Synthesis, structure, and chemistry of hydrido and alkyl niobocene ketene and ketenimine derivatives. X-ray crystal structure of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(CH_3)(\eta^2\text{-}(C,O)O=C=CPh_2)]$ (A. Antiñolo, A. Otero, M. Fajardo, R. Gil-Sanz, M.J. Herranz, C. López-Mardomingo, A. Martín and P. Gómez-Sal), 87

Lithium

The preparation of (5-aryl-3-isoxazolyl)-ferrocenes from dilithiated acetylferrocene oxime and aromatic esters (S.E. Davis, A.C. Church, A.S. Scott, H.L. Throckmorton, S.L. Studer-Martinez and C.F. Beam), 125

Zirconium bent sandwich complex with a dicarbahexaborate ligand: $[Li(THF)_3][\{\eta^5\text{-}C_2B_4H_4(SiMe_3)_2\}(\eta^5\text{-}C_5Me_5)ZrCl_2]$ (S.S.H. Mao, T.D. Tilley, A.L. Rheingold and N.S. Hosmane), 257

Manganese

Cyclomanganated derivatives of triphenylphosphine chalcogenides (G.J. Depree, N.D. Childerhouse and B.K. Nicholson), 143

Metallacycle

Cyclomanganated derivatives of triphenylphosphine chalcogenides (G.J. Depree, N.D. Childerhouse and B.K. Nicholson), 143

Reaction of a π-vinylcarbeneiron complex with aromatic diamines: formation and structure of ferracyclopentenone(diamine) complexes (K.-i. Fujita, K. Ito, T. Kondo and T.-a. Mitsudo), 161

Metallocenes

The preparation of (5-aryl-3-isoxazolyl)-ferrocenes from dilithiated acetylferrocene oxime and aromatic esters (S.E. Davis, A.C. Church, A.S. Scott, H.L. Throckmorton, S.L. Studer-Martinez and C.F. Beam), 125

Methylpalladium complexes

Cationic methyl–palladium(II) complexes containing bidentate N^O and P^O ligands and a tridentate P^O^N ligand: synthesis, carbonylation and catalytic applications in the copolymerisation of carbon monoxide and ethene (G.J.P. Britovsek, K.J. Cavell, M.J. Green, F. Gerhards, B.W. Skelton and A.H. White), 201

Molecular recognition

Ferrole–estradiol complex as a test for receptor dimerization (D. Osella, G. Dutto, C. Nervi, M.J. McGlinchey, A. Vessières and G. Jaouen), 97

1-Molybda-2-phospha-1,3-diyenes

Reaktionsverhalten metallkoordinierter 1-Molybda-2-Phospha-1,3-Diene gegenüber Alkinen und Diinen (H. Lang, M. Winter, M. Leise, L. Zsolnai, M. Büchner und G. Huttner), 167

Molybdenum

Oxo ligands as assembling units in mixed-metal cluster chemistry: synthesis and X-ray structure of the bow-tie cluster $[Mo_2Ru_3(\mu_3\text{-}O)_2(\mu_3\text{-}CPh)(\mu\text{-}C_3Ph_3)(CO)_8(\eta\text{-}C_5H_5)_2]$ (H. Adams, L.J. Gill and M.J. Morris), 117

Mononuclear acylphosphine complexes

Tandem acylation–complexation of a chlorophosphine by carbonylferrates (J.-J. Brunet, A. Capperucci, R. Chauvin and B. Donnadieu), 79

Niobium

Syntheses and characterization of the heptasodium salt of the Keggin-type triniobium-substituted polyoxoanion $SiW_9Nb_3O_{40}^{7-}$ and the all-sodium salt of the polyoxoanion-supported organometallic complex $[(\eta^5\text{-}C_5Me_5)Rh \cdot SiW_9Nb_3O_{40}]^{3-}$ (K. Nomiya, C. Nozaki, A. Kano, T. Taguchi and K. Ohsawa), 153

Niobocene

Synthesis, structure, and chemistry of hydrido and alkyl niobocene ketene and ketenimine derivatives. X-ray crystal structure of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(CH_3)(\eta^2\text{-}(C,O)O=C=CPh_2)]$ (A. Antiñolo, A. Otero, M. Fajardo, R. Gil-Sanz, M.J. Herranz, C. López-Mardomingo, A. Martín and P. Gómez-Sal), 87

NMR

A synthetic, structural and NMR spectroscopic study on 1,3-distanna-2-chalcogena-[3]ferrocenophanes (M. Herberhold, U. Steffl, W. Milius and B. Wrackmeyer), 109

Selenium-77 NMR studies of cyclopentadienylchromium selenium species. Evidence of conformers (P.A.W. Dean, L.Y. Goh, I.D. Gay and R.D. Sharma), 1

Structural studies of bis(μ_2-acetophenoniminato)-bis(tricarbonyliron) by NMR and X-ray diffraction: deviations from symmetry in *anti* and *syn* isomers (A. Zimniak and J. Zachara), 45

Nuclear magnetic resonance

Pentamethylcyclopentadienylselenium derivatives III. Synthesis and ^{77}Se NMR spectroscopy of bis(pentamethylcyclopentadienyl) polyselenides, $Se_n(C_5Me_5)_2$ ($n = 2, 3, 4$) (C.M. Bates and C.P. Morley), 193

Nucleophilic addition

Novel nucleophilic addition to the N=C bond of silicon isocyanates: conversion of some sterically hindered organosilicon isocyanates into aminosilanes (A.I. Almansour), 57

Olefin complexes

Regioselective synthesis of η^3-(*N*-methoxycarbonyl-7-azabicyclo-[2.2.1]hepta-2,5-dienyl)-η^5-(C_5Me_5)RuCl complexes (Z. Chen, L. Luo, S.P. Nolan, J.L. Petersen and M.L. Trudell), 25

Optically active ligands

Optically active transition-metal complexes VII. Iron and ruthenium complexes with the optically active cyclopentadienyl ligand PCp:

syntheses and ligand exchange reactions (B. Pfister, R. Stauber and A. Salzer), 131

Organocobaloxime
Synthesis of organocobaloximes: modification of the organic group in organocobaloximes (B.D. Gupta and V. Dixit), 261

Organocobalt
Synthesis of organocobaloximes: modification of the organic group in organocobaloximes (B.D. Gupta and V. Dixit), 261

Oxadiphosphocane
The reaction of electrophilic terminal phosphinidene complexes with benzophenone and fluorenone: the unexpected formation of six- and eight-membered heterocycles (Y. Inubushi, N.H. Tran Huy, L. Ricard and F. Mathey), 83

1,2-Oxaphosphacyclohexene
The reaction of electrophilic terminal phosphinidene complexes with benzophenone and fluorenone: the unexpected formation of six- and eight-membered heterocycles (Y. Inubushi, N.H. Tran Huy, L. Ricard and F. Mathey), 83

Palladium(II)
Metallkomplexe mit biologisch wichtigen Liganden, XCIII. Metallorganische Verbindungen von Cobalt(III), Rhodium(III), Iridium (III), Palladium(II) und Platin(II) mit Aza-Aminosäurederivaten (Methylcarbazat, Semicarbazid, 2-Amino-3-dimethylaminopropansäure) (R. Bergs, K. Sünkel, C. Robl und W. Beck), 247

Peterson reaction
The acid promoted rearrangement of 1-hydroxyalkyl-tris(trimethylsilyl)silanes into bis(trimethylsilyl)-1-trimethylsilylalkylsilanols: generation of a transient silylium ion (K. Sternberg, M. Michalik and H. Oehme), 265

Phosphanes
Reaktionsverhalten metallkoordinierter 1-Molybda-2-Phospha-1,3-Diene gegenüber Alkinen und Diinen (H. Lang, M. Winter, M. Leise, L. Zsolnai, M. Büchner und G. Huttner), 167

Phosphine
Cyclomanganated derivatives of triphenylphosphine chalcogenides (G.J. Depree, N.D. Childerhouse and B.K. Nicholson), 143
Photocatalytic hydrosilylation of conjugated dienes with triethylsilane in the presence of $Cr(CO)_5L$ ($L = CO$, $P(CH_3)_3$, $P(OCH_3)_3$) (S. Özkar, V.M. Akhmedov and C. Kayran), 103

Phosphinidene
The reaction of electrophilic terminal phosphinidene complexes with benzophenone and fluorenone: the unexpected formation of six- and eight-membered heterocycles (Y. Inubushi, N.H. Tran Huy, L. Ricard and F. Mathey), 83

Phosphorus
Tridecamethyl-1-phospha- and tridecamethyl-1-arsa-2,3,4,5,6,7,8-heptasilabicyclo[2.2.2]octane (K. Hassler, G.M. Kollegger, H. Siegl and G. Klintschar), 51

Photocatalysis
Photocatalytic hydrosilylation of conjugated dienes with triethylsilane in the presence of $Cr(CO)_5L$ ($L = CO$, $P(CH_3)_3$, $P(OCH_3)_3$) (S. Özkar, V.M. Akhmedov and C. Kayran), 103

Planar chirality
"Chirality transfer" in iron-mediated dienylic substitutions via highly enantiomerically enriched planar chiral 1-phenylsulfonyl-substituted tricarbonyl(η^5-pentadienyl)iron(1 +) complexes (D. Enders, B. Jandeleit and S. Von Berg), 219

Platinum(II)
Metallkomplexe mit biologisch wichtigen Liganden, XCIII. Metallorganische Verbindungen von Cobalt(III), Rhodium(III), Iridium (III), Palladium(II) und Platin(II) mit Aza-Aminosäurederivaten (Methylcarbazat, Semicarbazid, 2-Amino-3-dimethylaminopropansäure) (R. Bergs, K. Sünkel, C. Robl und W. Beck), 247

Polyketone
Cationic methyl–palladium(II) complexes containing bidentate N^O and P^O ligands and a tridentate P^O^N ligand: synthesis, carbonylation and catalytic applications in the copolymerisation of carbon monoxide and ethene (G.J.P. Britovsek, K.J. Cavell, M.J. Green, F. Gerhards, B.W. Skelton and A.H. White), 201

Polymerization
Catalytic dehydrocoupling of $PhSiH_3$ with bimetallic Ti and Zr complexes (J.L. Huhmann, J.Y. Corey and N.P. Rath), 61

Polyoxometallate
Syntheses and characterization of the heptasodium salt of the Keggin-type triniobium-substituted polyoxoanion $SiW_9Nb_3O_{40}^{7-}$ and the all-sodium salt of the polyoxoanion-supported organometallic complex $[(\eta^5\text{-}C_5Me_5)Rh \cdot SiW_9Nb_3O_{40}]^{5-}$ (K. Nomiya, C. Nozaki, A. Kano, T. Taguchi and K. Ohsawa), 153

Polysilanes
Catalytic dehydrocoupling of $PhSiH_3$ with bimetallic Ti and Zr complexes (J.L. Huhmann, J.Y. Corey and N.P. Rath), 61

Prop-2-yn-1-ols
Bimetallic Cr, Ru alkenyl carbene derivatives: synthesis from organometallic prop-2-yn-1-ols and stereochemical aspects (N. Ruiz, D. Péron, S. Sinbandith, P.H. Dixneuf, C. Baldoli and S. Maiorana), 213

Reaction
Unexpected reactions of (cyclooctatetraene)diiron hexacarbonyl with aryllithium reagents: crystal structures of $[(CO)_3Fe(1\text{-}4\text{-}\eta\text{:}5\text{-}7\text{-}\eta\text{-}C_8H_9)(CO)_2Fe(COC_6H_5)]$ and $[(CO)_3Fe(1\text{-}4\text{-}\eta\text{:}5\text{-}8\text{-}\eta\text{-}C_8H_8)\text{-}(CO)_2FeC(OC_2H_5)C_6H_5]$ (Y. Yu, J. Sun and J. Chen), 13

Regioselective
Regioselective synthesis of η^3-(*N*-methoxycarbonyl-7-azabicyclo-[2.2.1]hepta-2,5-dienyl)-η^5-(C_5Me_5)RuCl complexes (Z. Chen, L. Luo, S.P. Nolan, J.L. Petersen and M.L. Trudell), 25

Rhodium
Syntheses and characterization of the heptasodium salt of the Keggin-type triniobium-substituted polyoxoanion $SiW_9Nb_3O_{40}^{7-}$ and the all-sodium salt of the polyoxoanion-supported organometallic complex $[(\eta^5\text{-}C_5Me_5)Rh \cdot SiW_9Nb_3O_{40}]^{5-}$ (K. Nomiya, C. Nozaki, A. Kano, T. Taguchi and K. Ohsawa), 153

Rhodium(III)
Metallkomplexe mit biologisch wichtigen Liganden, XCIII. Metallorganische Verbindungen von Cobalt(III), Rhodium(III), Iridium (III), Palladium(II) und Platin(II) mit Aza-Aminosäurederivaten (Methylcarbazat, Semicarbazid, 2-Amino-3-dimethylaminopropansäure) (R. Bergs, K. Sünkel, C. Robl und W. Beck), 247

Ruthenium
Bimetallic Cr, Ru alkenyl carbene derivatives: synthesis from organometallic prop-2-yn-1-ols and stereochemical aspects (N. Ruiz, D. Péron, S. Sinbandith, P.H. Dixneuf, C. Baldoli and S. Maiorana), 213
Optically active transition-metal complexes VII. Iron and ruthenium complexes with the optically active cyclopentadienyl ligand PCp: syntheses and ligand exchange reactions (B. Pfister, R. Stauber and A. Salzer), 131
Oxo ligands as assembling units in mixed-metal cluster chemistry: synthesis and X-ray structure of the bow-tie cluster $[Mo_2Ru_3(\mu_3\text{-}O)_2(\mu_3\text{-}CPh)(\mu\text{-}C_3Ph_3)(CO)_6(\eta\text{-}C_5H_5)_2]$ (H. Adams, L.J. Gill and M.J. Morris), 117
Regioselective synthesis of η^3-(*N*-methoxycarbonyl-7-azabicyclo-[2.2.1]hepta-2,5-dienyl)-η^5-(C_5Me_5)RuCl complexes (Z. Chen, L. Luo, S.P. Nolan, J.L. Petersen and M.L. Trudell), 25

Selenium
Pentamethylcyclopentadienylselenium derivatives IV. Synthesis and characterisation of methyl(pentamethylcyclopentadienyl)selenium

and its pentacarbonyltungsten complex [$W(CO)_5${$Se(C_5Me_5)Me$}] (C.M. Bates and C.P. Morley), 197

Pentamethylcyclopentadienylselenium derivatives III. Synthesis and ^{77}Se NMR spectroscopy of bis(pentamethylcyclopentadienyl) polyselenides, $Se_n(C_5Me_5)_2$ ($n = 2, 3, 4$) (C.M. Bates and C.P. Morley), 193

Selenium-77 NMR studies of cyclopentadienylchromium selenium species. Evidence of conformers (P.A.W. Dean, L.Y. Goh, I.D. Gay and R.D. Sharma), 1

Silicon

1.4-Addition of 1.1.2.2-tetrachlorodimethyldisilane to 1.4-diaza-1.3-dienes, synthesis and molecular structure of 1.6-disila-2.5-diaza-1.1.6.6-tetrachloro-1.6-dimethyl-2.5-di-*p*-tolyl-3.4-diphenyl-hexa-3-ene (U. Herzog, G. Roewer, B. Ziemer and B. Herrschaft), 73

Catalytic dehydrocoupling of $PhSiH_3$ with bimetallic Ti and Zr complexes (J.L. Huhmann, J.Y. Corey and N.P. Rath), 61

Novel nucleophilic addition to the N=C bond of silicon isocyanates: conversion of some sterically hindered organosilicon isocyanates into aminosilanes (A.I. Almansour), 57

Tridecamethyl-1-phospha- and tridecamethyl-1-arsa-2,3,4,5,6,7,8-heptasilabicyclo[2.2.2]octane (K. Hassler, G.M. Kollegger, H. Siegl and G. Klintschar), 51

Silylium ions

The acid promoted rearrangement of 1-hydroxyalkyl-tris(trimethylsilyl)silanes into bis(trimethylsilyl)-1-trimethylsilylalkylsilanols: generation of a transient silylium ion (K. Sternberg, M. Michalik and H. Oehme), 265

Sodium

Syntheses and characterization of the heptasodium salt of the Keggin-type triniobium-substituted polyoxoanion $SiW_9Nb_3O_{40}^{7-}$ and the all-sodium salt of the polyoxoanion-supported organometallic complex $[(\eta^5\text{-}C_5Me_5)Rh \cdot SiW_9Nb_3O_{40}]^{5-}$ (K. Nomiya, C. Nozaki, A. Kano, T. Taguchi and K. Ohsawa), 153

Stereochemistry

Bimetallic Cr, Ru alkenyl carbene derivatives: synthesis from organometallic prop-2-yn-1-ols and stereochemical aspects (N. Ruiz, D. Péron, S. Sinbandith, P.H. Dixneuf, C. Baldoli and S. Maiorana), 213

Sulphur

Carbon–fluorine bond activation by iron(I). C–F bond cleavage induced by addition of phosphines or thiols to a perfluorovinyldiiron complex (R. Rumin, K. Guennou, R. Pichon, F.Y. Pétillon, K.W. Muir and D.S. Yufit), 177

Thioxanthate

Synthesis and structure of a dinuclear cobalt carbonyl derivative containing methyldithioformate as a five-electron donor ligand (G. Gervasio, S. Vastag, G. Szalontai and L. Markó), 187

Tin–tin bond

A synthetic, structural and NMR spectroscopic study on 1,3-distanna-2-chalcogena-[3]ferrocenophanes (M. Herberhold, U. Steffl, W. Milius and B. Wrackmeyer), 109

Titanium

Catalytic dehydrocoupling of $PhSiH_3$ with bimetallic Ti and Zr complexes (J.L. Huhmann, J.Y. Corey and N.P. Rath), 61

Halbsandwich-Komplexe der Elemente Titan und Zirconium mit dem (Diisopropylaminoethyl)cyclopentadienyl-Ligand: Molekülstruktur von $[(C_5H_4CH_2CH_2N(H)^iPr_2)ZrCl_3]^+Cl^- \cdot 2CH_3OH$ (P. Jutzi, T. Redeker, B. Neumann und H.-G. Stammler), 237

Tricarbonyl(η^4-diene)iron(0) complex

"Chirality transfer" in iron-mediated dienylic substitutions via highly enantiomerically enriched planar chiral 1-phenylsulfonyl-substituted tricarbonyl(η^5-pentadienyl)iron(1 +) complexes (D. Enders, B. Jandeleit and S. Von Berg), 219

Tricarbonyl(η^5-pentadienyl)iron(1 +) complex

"Chirality transfer" in iron-mediated dienylic substitutions via highly enantiomerically enriched planar chiral 1-phenylsulfonyl-substituted tricarbonyl(η^5-pentadienyl)iron(1 +) complexes (D. Enders, B. Jandeleit and S. Von Berg), 219

Tris(trimethylsilyl)silylcarbenium ions

The acid promoted rearrangement of 1-hydroxyalkyl-tris(trimethylsilyl)silanes into bis(trimethylsilyl)-1-trimethylsilylalkylsilanols: generation of a transient silylium ion (K. Sternberg, M. Michalik and H. Oehme), 265

Tungsten

Pentamethylcyclopentadienylselenium derivatives IV. Synthesis and characterisation of methyl(pentamethylcyclopentadienyl)selenium and its pentacarbonyltungsten complex [$W(CO)_5${$Se(C_5Me_5)Me$}] (C.M. Bates and C.P. Morley), 197

Syntheses and characterization of the heptasodium salt of the Keggin-type triniobium-substituted polyoxoanion $SiW_9Nb_3O_{40}^{7-}$ and the all-sodium salt of the polyoxoanion-supported organometallic complex $[(\eta^5\text{-}C_5Me_5)Rh \cdot SiW_9Nb_3O_{40}]^{5-}$ (K. Nomiya, C. Nozaki, A. Kano, T. Taguchi and K. Ohsawa), 153

Uranium (III)

Synthesis and crystal structure of $[U(\eta\text{-}C_5Me_5)_2(OC_4H_8)_2][BPh_4]$, the first cationic cyclopentadienyl compound of uranium(III) (C. Boisson, J.C. Berthet, M. Ephritikhine, M. Lance and M. Nierlich), 7

X-ray diffraction

A synthetic, structural and NMR spectroscopic study on 1,3-distanna-2-chalcogena-[3]ferrocenophanes (M. Herberhold, U. Steffl, W. Milius and B. Wrackmeyer), 109

Zirconium

Catalytic dehydrocoupling of $PhSiH_3$ with bimetallic Ti and Zr complexes (J.L. Huhmann, J.Y. Corey and N.P. Rath), 61

Halbsandwich-Komplexe der Elemente Titan und Zirconium mit dem (Diisopropylaminoethyl)cyclopentadienyl-Ligand: Molekülstruktur von $[(C_5H_4CH_2CH_2N(H)^iPr_2)ZrCl_3]^+Cl^- \cdot 2CH_3OH$ (P. Jutzi, T. Redeker, B. Neumann und H.-G. Stammler), 237

Zirconium bent sandwich complex with a dicarbahexaborate ligand: $[Li(THF)_3][(\eta^5\text{-}C_2B_4H_4(SiMe_3)_2)(\eta^5\text{-}C_5Me_5)ZrCl_2]$ (S.S.H. Mao, T.D. Tilley, A.L. Rheingold and N.S. Hosmane), 257

Book review

Advances in Carbocation Chemistry, Vol. 2, J.M. Coxon (ed.) (C. Eaborn)), 269